

ARENO Bulkhead

Designed in Germany




Features

- Mounting : Surface
- Pressure Die cast aluminium powder coated housing
- Shock resistant frosted glass cover
- Loop-in Loop-out cable termination facility
- Best in class power LEDs from reputed international companies
- Inbuilt electronic driver
- Body Colour : Silver

Mechanical Features

Product Code	Size (mm) L x B x H	Weight
XA 01 11	228 x 117 x 80	2.2 Kg.
XS 06 13	228 x 117 x 80	2.2 Kg.



Applications

- Walkways
- Subways
- Security Lighting
- Tunnels
- On-Board Ships

ARENO Bulkhead

Designed in Germany

Specifications

Input Voltage	: 220 V - 240 V AC
Frequency	: 50/60 Hz
Power Factor @230 VAC	: > 0.9
Colour Temperatures	: 6300 K
Colour Rendering Index	: > 65
Operating Temperature	: -20° C to 50° C
Ingress Protection	: IP65
Impact Protection	: IK08
Life Span	: 50,000 Hours
Safety Standard	: EN 60598
EMC/ EMI Standard	: EN61547 / EN55015
Harmonics	: EN61000-3-2 and 61000-3-3


Product Code	Input Power	System Lumens	Replacement of	Energy Saving
XA 01 11	8 Watts	200	40W GLS	80 %
XS 06 13	12 Watts	310	60W GLS	80 %

Specifications subject to change



Photometric Data

*Polar Candela Distribution



Cone Diagram

